

**LISTENING SUB-TEST – ANSWER KEY
PARTS A, B & C**

SAMPLE

LISTENING SUB-TEST – ANSWER KEY

PART A: QUESTIONS 1-12

- 1 heartburn (after meals)
- 2 bloating
- 3 constipation
- 4 (so) unpredictable
- 5 migraines
- 6 accountant
- 7 anxious
- 8 energy
- 9 fibre
- 10 dairy (products)
- 11 (extensive) food allergy tests
- 12 anti(-)depressants **OR** (an) anti(-)depressant

PART A: QUESTIONS 13-24

- 13 stiff
- 14 (a) heat pad **OR** (a) heatpad
- 15 physio(therapy)
- 16 untreatable
- 17 chiropractic treatment
- 18 Baclofen
- 19 (an) orthopaedic/orthopedic) chair **OR** (a) chair
- 20 botulinum toxin **OR** botox **OR** BTX
- 21 swallowing
- 22 (various) oral medications/meds
- 23 memory loss **OR** loss of memory **OR** amnesia
- 24 (a) pump

LISTENING SUB-TEST – ANSWER KEY

PART B: QUESTIONS 25-30

- 25 A his blurred vision
- 26 B The patient is worried about a procedure.
- 27 C patients not discussing all their concerns when meeting the doctor
- 28 C have the fewest risks for the patient.
- 29 B benefit from a specific anaesthetic procedure.
- 30 B the financial impact that they are likely to have

PART C: QUESTIONS 31-36

- 31 C to raise awareness of the symptoms of the illness
- 32 B felt that he was too fit and well to be in need of it.
- 33 B found it hard to cope with the wait for some results.
- 34 A He found himself reacting in a way he hadn't anticipated.
- 35 C a reluctance to talk about the embarrassing aspects of treatment
- 36 A offer patients more personal aftercare.

PART C: QUESTIONS 37-42

- 37 B come from a wide variety of backgrounds.
- 38 B enable them to deal with patients more quickly.
- 39 C fails to distinguish between different possible triggers.
- 40 C they may interact adversely with patients' other medication.
- 41 A the unsuitability of opioids for patients with particular conditions.
- 42 C he lacked experience in dealing with problems like hers.

END OF KEY